

aluminum systems
albau

Modern Closing Solutions

albau-usa.com



somfy

GUILLOTINE GLASS

15/16" Insulated - Tempered



Made in USA



2 Years
Warranty



4 Seasons
Protection



Smart
Systems



Technical
Support




Professional
Quick Assembly

Design


Guillotine window systems are systems where windows open vertically with a remote control.



somfy.



3 Panels Guillotine System



2 Panels Guillotine System

- Guillotine window systems are systems where windows open vertically with a remote control.
- Depending on the measurements and the project, it operates by the vertical opening and closing of 2 or 3 glass panels, overlapping each other.

Introduction


Guillotine window systems are used in residences, cafes, restaurants, villas, farmhouses, winter gardens and many other areas. We can custom manufacture guillotine windows in desired dimensions, offering various color options to match your style.



- Resistant to cracking and breaking with high-strength tempered glass and a sturdy aluminum frame, they are durable against all types of weather conditions.
- In smart and technological guillotine window systems, double glazing is used to reduce heat transfer, providing better energy efficiency and sound insulation.
- They are easy to clean and hygienic, adding a stylish and modern look to the space.
- Fixed panels serve as railings when in the closed position.

Dimensions


aluminum systems
albau



Motor : **SOMFY (France)**

Warranty : **2 years**



 Thanks to Radio Frequency Technology, all functions of this fully automatic system can be easily controlled with a single remote.

aluminum systems
albau




As Albau company, we use the French-origin Somfy engine as standard in our Guillotine systems.



Maximum Panoramic View


By minimizing the thickness of the vertical and horizontal profiles, the transparency level of the system has been enhanced, providing a maximum panoramic view.





The assembly of the system is extremely easy thanks to the sectional side upright profile and independent motor box. When maintenance is needed, only the necessary points can be accessed without completely disassembling the system.




15/16" & 1" Insulated tempered glass increases energy efficiency by providing thermal insulation of the space. It stands out with its resistance to external factors and impact resistance. It also increases interior comfort thanks to its sound insulation feature.







Profile Technical Drawings




420-4001 (1,060 kg/mt)




420-4002 (1,120 kg/mt)



420-6001 (0,491 kg/mt)




420-2103 (0,728 kg/mt)




420-1101 (1,122 kg/mt)


Profile Technical Drawings




420-6001 (0,491 kg/mt)




410-6003 (0,173 kg/mt)



420-6002 (1,047 kg/mt)




420-6103 (0,203 kg/mt)




420-6005 (0,325 kg/mt)





420-6007 (0,184 kg/mt)





420-4001



Project Exempliss

